

This guide is to help you order the correct imaging study.

CRMC Main Line: 620-251-1200

Radiology Scheduling: 620-252-1523

CRMC Fax: 620-252-1573





Hello!

This ordering guide is meant to assist you when ordering a study with CRMC. The guide includes common indications as well as recommendations for the most appropriate examination. This comprehensive guide to imaging services was developed to help in prescribing and ordering the correct testing for your patients. It includes indications and recommendations to consider as well as CPT codes to use when ordering the appropriate tests.

We want to provide our patients with the highest level, safest imaging. Our physicians are board certified in diagnostic radiology, and many have additional certifications in specialties such as neuroradiology, MSK, and interventional radiology. We use state-of-the-art imaging technology CRMC.

It is our goal to provide you and your patients with the most appropriate and complete imaging examination. After the correct order is placed, examinations are further tailored to each patient's specific condition. Thus, it is very important for the radiologist to be aware of the clinical question or specific condition in question so that the appropriate imaging can be performed.

Please understand that as the structure of medicine changes, many of the old ways of ordering radiology are no longer correct. With the new ICD-10 code book and regulations, medical necessity and a billable indication can be somewhat difficult to discern. An ICD-10 diagnosis is no longer acceptable as an indication for imaging. Radiology specific indications are now required and usually relate directly to the patient's symptoms or stage of disease in the follow up setting.

When ordering an examination please include pertinent history as well as signs or symptoms. Please refrain from ordering "r/o" exams such as "rule out tumor" or "rule out anomaly" unless history and signs/symptoms are included as well. Please do not use generic terms such as "trauma or asthma or diabetes." Feel free to specify a particular entity or condition you would like the Radiologist to comment upon in the report.

Please understand that if a representative from the radiology department contacts you in regards to an order, they are simply trying to make sure that the correct study is being performed and that there is an accurate order for that study with an acceptable indication. Hopefully, this ordering guide will eliminate most of these phone calls.

We have also included a list of most commonly used ICD-10 codes. Please note that this is not a complete list so you may need to refer to your most current ICD-10- CM code book for the most appropriate code.

TABLE OF CONTENTS – CRMC Radiology Ordering Guide

RADIOLOGY SCREENING QUESTIONS	3
SERVICES & LOCATIONS	4
RADIOLOGY ASSOCIATES EXAM PREP	4
CT - Head	5
CT - Head (Continued)	6
CT - Spine	6
CT - Chest	7
CT - Abdomen & Pelvis	8
CT - Extremities	9
CT - Arthrography (Joints with Intra articular Contrast)	10
CT - Angiograpghy (CTA)	11
MRI – Head & Neck	12
MRI - Spine	
MRI - Chest / Abdomen / Pelvis	14
MRI - Extremities	
MRI - Extremeties (Continued)	16
MRA / MRV - MR Angiography / MR Venography	16
MRA / MRV - MR Angiography / MR Venography	17
Nuclear Medicine	18
Ultrasound - Neck	
Ultrasound - Chest	
Ultrasound - Abdomen	
Ultrasound - Pelvis	
Ultrasound - Retroperitoneal	
Ultrasound - Extremities/Musculoskeletal	
Fluoroscopy	
Breast Ordering Decision Tree	
Breast Health Nurse Navigator - Christy McCullough, RN, MSN	26
Standing Orders for after Abnormal Mammograms	27
CPT CODING - <i>CT</i>	
CPT CODING - MRI	
CPT CODING – Ultrasound	
Pre-Medication Allergic Reactions	
DEXA SCANS	
Pain Management Procedures	34

Please feel free to call the Radiology Department if you have any questions on any orders, 620-252-1523.

RADIOLOGY SCREENING QUESTIONS

MRI (Magnetic Resonance Imaging)

- Height &Weight
- Do you have a pacemaker? Must present device implant card for MRI safety
- Do you have any implanted metal or electronic devices (stents, hardware, pumps, etc.)?
- Are you claustrophobic?
- Have you ever had metal in your eyes for which you sought medical attention? (If yes, please also send an order for an XR Orbits)
- Are you pregnant?

- Have you ever been diagnosed with cancer?
- GFR need for those over 60 for contrast
- History of kidney disease requiring dialysis or surgery?(ex: kidney transplant or cancer)*
- History of hypertension requiring medication?*
- History of diabetes*

CT (Computed Tomography)

- Are you pregnant?
- Any prior surgery on the area(s)being scanned?
- Have you ever been diagnosed with cancer?
- Are you allergic to iodine?
- GFR needed for those over 60 for contrast.
- History of kidney disease requiring dialysis or surgery?(ex: kidney transplant or cancer)*
- History of hypertension requiring medication?*
- History of diabetes?*
- Taking Metformin or a drug containing Metformin? (ex: Glucophage)*

MG (Mammography)

If yes for either question below the patient must Have a diagnostic MG(not a screening)and Breast US (please include order for both):

- Personal history of breast cancer within the last 5 years?
- Any current breast problems (pain, lump, etc.)
- Do you have breast implants?
- Do you have any mobility restrictions
- Where are prior mammograms?
 (Will NOT perform MG without priors)

*Please note: The questions in **BOLD** with an **asterisk***above only need to <u>be asked if the exam is going to include contrast</u>. If the patient answers "Yes" to any of these questions we will need to have a Creatinine level for CT or GFR calculation for MRI within the previous 30 days. If the patient has not had this done we will need to order these labs and have them drawn within 24 hours of scheduling the patient's appointment.

SERVICES & LOCATIONS

Imaging Center Location

Coffeyville Regional Medical Center 1400 W. 4th Street Coffeyville, Kansas 67337

CRMC Main Line: 620-251-1200

Radiology Scheduling: 620-252-1523 Radiology Fax Line: 620-252-1573



Diagnostic Services

- Bone Density Screening
- CT Scan(multi-slice)
- Digital Mammography
- Fluoroscopy
- MRI–High Field

- PET/CT Imaging
- Ultrasound
- Vascular Imaging
- X-Ray (General Diagnostic)

Interventional Radiology

- Abscess/ Fluid Drainage
- Biliary Interventions
- Biopsies
- Dialysis Access
- DVT Thrombolysis
- Gastrostomy Tubes
- Inferior Vena Cava (IVC) Filters

- Internal Bleeding
- Pelvic Congestion Syndrome
- Peripheral Arterial Disease
- Spine Interventions/Pain Management
- Thromobolysis
- Vascular Access
- Vertebroplasty
- Acute and Chronic Pain Management



RADIOLOGY ASSOCIATES EXAM PREP

Fluoroscopy

- UGI Series/Small Bowel
 - → Nothing to eat or drink eight (8) hours prior to the study.
 - → Small Bowel exam could take up to 3-4 hours.
- Barium Enema
 - → Follow prep instructions given by ordering doctor before the exam. Nothing to eat the day of exam.

Ultrasound

- Abdomen
 - → Nothing to eat or drink eight (8) hours prior to study.
- Renal, Pelvis, or OB/GYN
 - → Drink 4-5 8oz. glasses of water (24-36oz) 1 hour prior to exam.
 - → DO NOT urinate. A full bladder is essential. (Note: The slower the bladder fills, the less discomforting)

CT Scan

- Abdomen/Pelvis (with oral contrast)
 - → Arrive at department, 2 hours before scheduled appointment time to drink oral contrast.
- Abdomen/Pelvis with (with or without IV contrast, and no oral contrast)
 - → Nothing to eat or drink two (2) hours prior to exam.
- Chest
 - →Nothing to eat or drink two (2) hours prior to exam.

Magnetic Resonance Imaging (MRI)

- MRI of the Abdomen/Pelvis
 - → Nothing to eat or drink four (4) hours prior to your examination.

CT - Head

BODY PART	REASON FOR EXAM	EXAM TO PRE-CERT	CODE
Head/Brain	Trauma	CT Head/Brain	70450
	Headaches	Without Contrast	
	CVA, Stroke		
	Bleed, Hemorrhage		
	Alzheimer's		
	Memory Loss, Confusion		
	Vertigo, Dizziness		
	Shunt Check		
	Hydrocephalus		
	Metastatic Staging	CT Head/Brain	70460
	Mass/Tumor	With Contrast	
	Infection		
	Headache w/associated		
	Neurologic signs		
	Melanoma	CT Head/Brain	70470
	HIV	Without and With Contrast	
	Toxoplasmosis		
Orbits	Trauma	CT Orbit	70480
	Fracture	Without Contrast	
	Foreign Body		
	Graves Disease		
	Pseudotumor	CT Orbit	70481
	Pain	With Contrast	
	Exopthalmus		
	Abscess		
	Mass	CT Orbit	70482
	Retinoblastoma	Without and With Contrast	
Facial Bones	Trauma	CT Facial Bones Without Contrast	70486
	Fracture		
	Cellulitis	CT Facial Bones With Contrast	70487
	Sinusitis	CT Sinus Complete	70486
	Osteomeatal Complex		
	Sinusitis Polyps		
Temporal Bone	Hearing Loss, Conductive* *Sensory neuro hearing loss, (order MRI with and without contrast)	CT Temporal Bones Without Contrast	70480
	Cholesteotoma		
	Trauma		

CT - *Head (Continued)*

BODY PART	REASON FOR EXAM	EXAM TO PRE-CERT	CPT CODE
Neck	Mass	CT Neck	70491
	Infection	With Contrast	
	Cancer Workups	*If elevated creatinine order	
	Parotid Mass	without contrast	
	Hoarseness	CT Neck	70490
	Vocal Chord Paralysis	Without Contrast	
	Voice Changes		
	Submandibular Stone	CT Soft Tissue Neck	70492
	Infection of Submandibular Gland	Without and With Contrast	
	Infection of Parotid Gland		
	Parotid Stone		

CT - Spine

BODY PART	REASON FOR EXAM	EXAM TO PRE-CERT	CPT CODE
Cervical Spine	Trauma, Fracture, Fusion Assess Bone Degenerative Changes *MRI recommended for disc herniation, mets, infection	CT Cervical Spine Without Contrast	72125
Thoracic Spine	Trauma, Fracture, Fusion Assess Bony Degenerative Changes *MRI recommended for disc herniation, mets, infection	CT Thoracic Spine Without Contrast	72128
Lumbar Spine	Trauma, Fracture, Fusion Assess Bony Degenerative Changes *MRI recommended for disc herniation, mets, infection	CT Lumbar Spine Without Contrast	72131

CT - Chest

BODY PART	REASON FOR EXAM	EXAM TO PRE-CERT	CPT CODE
Chest, High	Interstitial Disease	CT Chest	71250
Resolution	Fibrosis COPD	Without Contrast	
	Hemoptysis		
	Bronchiectasis		
	Sarcoidosis Pleural		
	Plaques		
	Asbestosis		
Chest	F/U Nodules	CT Chest Without Contrast	71250
	Renal Failure Patients		
	Cough Pneumonia	CT Chest	71260
	Lung CA	with Contrast	
	Esophageal CA		
	Lymphoma Lung		
	Nodule: Initial		
	Mass		
	Tracheal Stenosis		
	Chest Wall Mass		

CT-Computed Tomography

CT - Abdomen & Pelvis

Oral Contrast is used for most abdominal and pelvic CT scans unless there is no suspicion of bowl pathology or when administration would delay a diagnosis in the trauma setting. Please specify on order "oral contrast".

			СРТ
BODY PART	REASON FOR EXAM	EXAM TO PRE-CERT	CODE
Abdomen	F/U for pts with renal cell carcinoma in renal failure (recommend MRI)	CT Abdomen Without Contrast	74150
	Abdominal Pain	CT Abdomen	74160
	(generalized) Mass	With Contrast	
	RUQ Pain LUQ		
	Pain Epigastric		
	Pain		
	Pseudocyst		
	Pancreatitis		
Abdomen &	Hematuria with Pain	CT Abdomen and Pelvis	74176
Pelvis	Stone (Stone Study)	Without Contrast	
	Abdominal Pain	CT Abdomen and Pelvis	74177
	Crohns/Ulcerative Colitis/IBD	With Contrast	
	Diverticulitis		
	Abscess		
	Mass		
	Hernia (i.e. umbilical, inguinal)		
	Kidney Cysts. Mass	CT Abdomen Without and With Contrast	74178
	Cancer Staging	CT Pelvis With Contrast	
Abdomen	Adrenal Mass- No Oral Prep	Use Renal Mass Protocol	74170
(Renal/Adrenal)	Renal Mass - No Oral Prep	Use Liver Mass Protocol	
	Abnormal Ultrasound		
	Liver Mass	CT Abdomen	
	Hepatitis, Cirrhosis- No Oral Prep	Without and With Contrast	
	Hemangioma –No Oral Prep (recommend MRI)		

CT - Abdomen & Pelvis(Continued)

BODY PART	REASON FOR EXAM	EXAM TO PRE-CERT	CODE
Pelvis	Fracture	CT Pelvis	72192
	Non-Union	Without Contrast	
	Prostate Treatment Planning		
	Arthritis	CT Pelvis	72193
	Cancer Staging	With Contrast	
	Mass		
	Cysts		
	Pain		
	Infection		
	Abscess		
	Bone Infection	CT Pelvis	72194
	(recommend MRI)	Without and With Contrast	
CT Urogram	Transitional Cell Carcinoma of	CT Abdomen and Pelvis	74178
(Kidneys/Bladder)	Kidney and/or Bladder	With and Without Contrast	
	Defects/Bladder Leakage		

CT - **Extremities**

BODY PART	REASON FOR EXAM	EXAM TO PRE-CERT	CPT CODE
Upper Extremities	Fracture	CT Upper Extremity Without Contrast	73200
Finger Hand	Non-Union/Malunion		
Wrist	Infection	CT Upper Extremity	73201
Forearm Elbow	Tumor/Mass/Cancer/Mets (recommend MRI)	With Contrast	
Humerus			
Shoulder			
Clavicle			
Scapula			

CT - Extremities (Continued)

BODY PART	REASON FOR EXAM	EXAM TO PRE-CERT	CPT CODE
Sternoclavicular	Fracture	CT Chest	71250
Joint	NonUnion/Malunion	Without Contrast	
Lower Extremities	Fracture	CT Lower Extremity	73700
Foot	Fusion	Without Contrast	
Ankle	Non-Union/Malunion		
Calf(Tibia/Fibula)	Arthritis		
Knee	PatelloFemoral Malalignment		
Thigh(Femur)	Anteversion/Malrotation(Bilateral)		
	Infection	CT Lower Extremity	73701
	Tumor/Mass/Cancer/Mets (recommend MRI)	With Contrast	
Leg Lengths	Abnormality Leg Length	CT Limited	76380
	Malrotation	XR Bone Length	77073

CT - Arthrography (Joints with Intra articular Contrast)

BODY PART	REASON FOR EXAM	EXAM TO PRE-CERT	CPT CODE
CT Arthrogram Hip Knee Ankle Shoulder Elbow Wrist	Cartilage Abnormality Meniscus Abnormality Labrum Abnormality Loose Bodies	Requires 3 codes: 1-Choose upper or lower ext: Lower Extremity With Contrast OR Upper Extremity With Contrast 2-FluoroGuidedArthrogram 3-Choosebodypart: Hip Knee Ankle Shoulder Elbow Wrist	73701 73201 77002 27093 27370 27648 23350 24220
			25246

CT - **Angiograpghy** (**CTA**)

BODY PART	REASON FOR EXAM	EXAM TO PRE-CERT	CPT CODE
CTA Brain/Head	TIA,CVA	CTA Brain	70496
	Vascular Malformation		
	Aneurysm		
	AVM(Arterio/Venous Malformation)		
CTA Carotid/Neck	Carotid Stenosis	CTA Carotid	70498
	Bruit		
	TIA,CVA		
	Carotid Dissection		
CTA Chest	Thoracic Aortic Dissection	CTA Chest	71275
	Thoracic Aortic Aneurysm		
	Coarctation		
	Aortic Root Dilation		
CTA Chest	Chest Pain	CTA Chest	71275
PE Study	Tachypnea		
	Shortness of Breath		
	Pulmonary Hypertension(PAHTN)		
CTA Chest and	Thoracic and Abdominal	CTA Chest	71275
CTA Abdomen	Aortic Dissection	CTA Abdomen	72191
	* Dissection going past renals		
Aorta ,Renal, Stent	Aneurysm(AAA)	CTA Abdomen and	74175
	Stent Obstruction/Leak/Malfunction	CTA Pelvis	72191
	Crossing Vessels		
	Anatomic Marking for Partial/		
	Complete Nephrectomy		
	Renal Artery Stenosis		
CTA Upper	Trauma	CTA Upper Extremity	73206
Extremities	Arterial Stenosis		
CTA Upper	Peripheral Artery Disease	CT Lower Extremity	73706
Extremities	Ischemia to Lower Extremity		
	Arterial Stenosis		
CTA Run-Off	Peripheral Artery Disease(PAD)	CTA Abdomen, Pelvis, Bilateral	75635
	Ischemiat o Lower Extremity	Lower Extremities	
	Arterial Stenosis		



• CRMC Main Line: 620-251-1200

• Radiology Scheduling: 620-252-1523

• CRMC Fax: 620-252-1573

MRI - Head & Neck

BODY PART	REASON FOR EXAM	PROCEDURE TO PRE-CERT	CPT CODE
Brain	Alzheimer's, Dementia, Memory Loss	MRI Brain	70551
	Mental Status Changes, Confusion	Without Contrast	
	Headache Without Focal Symptoms		
	Seizures(children)		
	Stroke, CVA,TIA		
	Trauma		
	Cranial Nerve Lesions	MRI Brain	70553
	Dizziness, Vertigo	Without and With Contrast	
	Headache With Focal Symptoms		
	HIV		
	IAC/Hearing Loss		
	Infection		
	Multiple Sclerosis		
	Neurofibromatosis		
	Pituitary Lesion, Elevated Prolactin		
	Seizures(adult new onset)		
	Tumor/Mass/Cancer/Mets		
	Vascular Lesions		
	Vision Changes		
	Trigeminal Neuralgia	Order 2 exams:	
		MRI Brain Without and With Contrast	70553
		MRI Orbits/Face/Neck	70543
		Without and With Contrast	
Orbits	Grave's Disease	MRI Orbits/Face/Neck	70540
	Trauma	Without Contrast	
	Exopthalmos, Proptosis	MRI Orbits/Face/Neck	70543
	Pseudo tumor	Without and With Contrast	
	Tumor/Mass/Cancer/Mets		
	Vascular Lesions		
	Optic Neuritis		
Neck	Infection	MRI Orbits/Face/Neck	70543
	Pain	Without and With Contrast	
	Tumor/Mass/Cancer/Mets		
	Vocal Cord Paralysis		
	Parotid Gland		

MRI - Spine

			СРТ
BODY PART	REASON FOR EXAM	PROCEDURE TO PRE-CERT	CODE
Cervical	Arm/Shoulder Pain or Weakness	MRI Cervical Spine	72141
	Degenerative Disease	Without Contrast	
	Neck Pain		
	Disc Herniation		
	Cervical Fusion		
	Radiculopathy		
	Discitis	MRI Cervical Spine	72156
	Osteomylitis	Without and With Contrast	
	Multiple Sclerosis		
	Myelopathy		
	Syrinx		
	Tumor/Mass/Cancer/Mets		
	Vascular Lesions, AVM		
Thoracic	Back Pain	MRI Thoracic Spine	72146
	Compression Fx (no_hx of cancer)	Without Contrast	
	Degenerative Disease		
	Disc Herniation		
	Radiculopathy		
	Trauma		
	Compression Fx (with hx of cancer)	MRI Thoracic Spine	72157
	Discitis	Without and With Contrast	
	Osteomylitis		
	Multiple Sclerosis		
	Myelopathy		
	Syrinx		
	Tumor/Mass/Cancer/Mets		
	Vascular Lesions, AVM		
Lumbar	Back Pain	MRI Lumbar Spine	72148
	Compression Fx (no hx malig/mets)	Without Contrast	
	Degenerative Disease		
	Disc Herniation		
	Radiculopathy		
	Sciatica		
	Spondylolithesis		
	Stenosis		
	Trauma		
	Compression Fx (no hx malig/mets)	MRI Lumbar Spine	72158
	Discitis	Without and With Contrast	
	Osteomylitis		
	Tumor/Mass/Cancer/Mets		

MRI - Chest / Abdomen / Pelvis

BODY PART	REASON FOR EXAM	PROCEDURE TO PRE-CERT	CPT CODE
Brachial	Brachial Plexus Injury	MRI Chest Without and With Contrast	71552
Plexus	Nerve Avulsion	MRI Neck Without and With Contrast	70543
	Tumor/Mass/Cancer/Mets	(Please authorize BOTH codes.)	
Chest-	Tumor/Mass/Cancer/Mets	MRI Chest/Mediastinum	71552
Mediastinum		Without and With Contrast	
Abdomen	MRCP(Biliary/Pancreatic Ducts)	MRI Abdomen Without Contrast	74181
	AdrenalAdenoma	MRI Abdomen	74183
	AdrenalMass(notadenoma)	Without and With Contrast	
	Hemangioma		
	Liver,Kidney,orPancreasMass		
	Tumor/Mass/Cancer/Mets		
Pelvis	Adenomyosis	MRI Pelvis Without Contrast	72195
	Fracture		
	Muscle/TendonTear		
	UrethralDiverticulum		
	SportsHernia		
	Fibroids	MRI Pelvis Without and With Contrast	72197
	OsteomylitisSe		
	pticArthritis		
	Tumor/Mass/Cancer/Mets		
	Abcess		
	Ulcer		

MRI - Extremities

BODY PART	REASON FOR EXAM	PROCEDURE TO PRE-CERT	CPT CODE
Non-Joint:	Fracture	MRI—Non Joint Without Contrast	
Arm	Stress Fracture	Lower Extremity	73718
Hand	Muscle/Tendon Tear	Upper Extremity	73218
Finger	Abcess	MRI—Non Joint Without and With	
Leg	Ulcer	I.V. Contrast	
Foot	Bone Tumor/Mass/Cancer/Mets	Lower Extremity	73720
Toe	Cellulitis	Upper Extremity	73220
	Fasciitis		
	Myositis		
	Morton's Neuroma		
	Osteomylitis		
	Soft Tissue Tumor/Mass/Cancer		
Joint:	Arthritis	MRI—Joint Without Contrast	
Shoulder	Avascular Necrosis (AVN)	Lower Extremity	73721
Elbow	Fracture	Upper Extremity	73221
Wrist	Stress Fracture Internal		
Hip	Derangement Joint Pain		
Knee	(specify joint)		
Ankle	Labral Tear		
	Meniscal Tear		
	Muscle Tear		
	Tendon Tear		
	Ligament Tear		
	Cartilage Tear		
	Osteochondritis Dessicans (OCD)		
	Abcess	MRI—Joint Without and With	
	Ulcer	I.V. Contrast	
	Cellulitis	Lower Extremity	73723
	Fasciitis	Upper Extremity	73223
	Myositis		
	InflammatoryArthritis(pannuseval)		
	Osteomylitis		
	Septic Arthritis		
	Tumor/Mass/Cancer/Mets		

MRI - Arthrography (Joint with Intra articular Contrast)

BODY PART	REASON FOR EXAM	PROCEDURE TO PRE-CERT	CPT CODE
Shoulder	Labral Tear	MRI Joint With Intra-articular Contrast	
Elbow	Loose Bodies		
Wrist	OCD Stability	Requires 3 codes:	
Hip	Post-op Meniscus Evaluation	1—Lower Extremity With Contrast OR	73722
Knee		Upper Extremity With Contrast	73222
Ankle		2—Fluoro Guided Arthrogram	77002
		3 —Choose one code for body part:	
		Shoulder	23350
		Elbow	24220
		Wrist	25246
		Hip	27093
		Knee	27370
		Ankle	27648

MRA / MRV - MR Angiography / MR Venography

BODY PART	REASON FOR EXAM	PROCEDURE TO PRE-CERT	CPT CODE
Head (MRA)	Stroke, CVA,TIA	MRA Head Without Contrast	70544
	Aneurysm		
Head (MRV)	Venous Thrombosis	MRV Head Without Contrast	70544
Neck	Stroke, CVA,TIA	MRA Neck Without Contrast	70547
	Dissection	MRA Neck Without and With Contrast	70549
Abdomen	AAA (abdominal aortic aneurysm)	MRA Abdomen	74185
(MRA)	Abdominal Aortic Dissection	Without and With Contrast	
	Mesenteric Ischemia		
	Pre Kidney Transplant		
	Renal Mass	Order 2 Exams:	
	Uncontrolled Blood Pressure	MRA Abdomen	74185
		Without and With Contrast	
		MRI Abdomen	74183
		Without and With Contrast	

MRA / MRV - MR Angiography / MR Venography

BODY PART	REASON FOR EXAM	PROCEDURE TO PRE-CERT	CPT CODE
Abdomen	Venous Thrombosis	MRV Abdomen	74185
(MRV)	Venous Pathology	Without and With Contrast	
Pelvis	AVM (arteriovenous malformation)	MRA Pelvis	72198
		Without and With Contrast	
	Pelvic Congestion	Order 2 Exams:	
		MRA Pelvis	72198
		Without and With Contrast	
		MRI Pelvis	72197
		Without and With Contrast	
Peripheral	Claudication	Requires 3 codes:	
Run-Off	Cold Foot	MRA Abdomen	74185
	Pain	Without and With Contrast	
		MRA Lower Extremity	73725
		Without and With Contrast(Left) MRA Lower Extremity Without and With Contrast(Right)	73725



• CRMC Main Line: 620-251-1200

• Radiology Scheduling: 620-252-1523

• CRMC Fax: 620-252-1573

Nuclear Medicine

BODY PART	REASON FOR EXAM	PROCEDURE TO PRE-CERT	СРТ
BONE SCAN	Prostate Cancer Mets	Bone Scan – Whole Body	78306
	Fracture Stress Fracture Joint Replacement Evaluation	Bone Scan - Limited	78300
	Osteomyelitis Infection	Bone Scan – 3 Phase	78315
Gastric Emptying Study	Frequent Vomiting Gastroparesis Abdominal Pain	Gastric Emptying Study	78264
GI Bleed	Active Gastrointestinal Bleed Overt Mid or Lower Gastrointestinal Bleeding (Not for Chronic Bleeding)	GI Bleeding	78278
Hida Scan	Gall Bladder Inflammation (Cholecystitis)		
Hida Scan with Ejection Fraction	RUQ Pain – Evaluate Function	Hida Scan w Ejection Fraction	78227
MUGA SCAN	Baseline before chemotherapy Cardiotoxic Therapy	Muga Rest or Stress	78472
Myocardial Perfusion Rest/Stress Exercise	Suspected Coronary Artery Disease Symptoms suggestive of CAD	Myocardial Perf Rest/Stress Exercise	78452
Myocardial Perfusion Rest/Stress Pharmaceutical	Suspected Coronary Artery Disease Symptoms suggestive of CAD	Myocardial Perf Rest/Stress Pharmaceutical (Not able to walk on treadmill)	78452

Nuclear Medicine

Parathyroid Scan	Hypercalcemia Known Parathyroid Adenoma	Parathyroid Scan	78070
Thyroid Uptake And Scan	Differential diagnosis of Hyperthyroidism Thyroid Nodule Hyperthyroidism Hypothyroidism Goiter	Thyroid Uptake and Scan	78014
VQ Scan	Suspect Pulmonary Embolism	VQ Scan (Lung Ventilation, Perfusion)	78582

Ultrasound - Neck

BODY PART	REASON FOR EXAM	PREP	CPT CODE
Soft Tissues	Mass	None	76536
Neck(Thyroid), Head/Face	Abnormalities detected on other imaging (CT / MRI / PET / NM)		
	Enlarged thyroid gland		
	Multinodular goiter (MNG)		
	Abnormal lab tests		
	(elevated calcium levels / abnormal thyroid level)		
	Parathyroid adenomas		
	Hyperthyroidism / Hypothyroidism		
Carotid Artery	Weakness	None	93880
	Headache		
	Syncope		
	Hemiplegia		
	Difference in arm blood pressure		
	Aphasia		
	Ataxia		
	Reversible ischemic neurological deficit (RIND)		
	Bruit		
	Vertigo / dizziness (non medicare)		
	Memory loss (non medicare)		
	Dementia (non medicare)		
	Transient ischemic attack (TIA)		
	Confusion		
	Stroke		
	Visual disturbance		
	Cerebrovascular accident (CVA)		
	Amaurosisfugax		

Ultrasound - **Chest**

BODY PART	REASON FOR EXAM	PREP	CPT CODE
Chest	Diaphragm paralysis	None	76604
	Pleural effusion		
	Superficial mass		
Aorta	Aortic aneurysm (follow up to AAA)	NPO 8 hours prior	76775
(Limited	Pulsatile aorta	to exam	
Retroperitoneal)	Bruit		
	Family history AAA (non medicare)		

Ultrasound - **Abdomen**

BODY PART	REASON FOR EXAM	PREP		CPT CODE
Abdomen	Cirrhosis or hepatic disease	C	omplete	76700
	(Hepatitis / Portal Hypertension)		Limited	76705
(Complete US includes <u>ALL</u> of the following organs: Liver,	Abdominal distention (fluid collection) ascites	NPO 8 hours prior		
Gallbladder, Pancreas, Bilateral	Pain (Abdominal / Epigastric / Periumbilical)	to exam		
Kidneys, Spleen, Aorta, IVC, CBD)	Nausea / Vomiting			
	Gallstones			
(Limited US includes RUQ,RLQ, organ,or hernia)	Obstructive symptoms of the biliary system (Jaundice)			
	Abnormal diagnostic tests (CT / MR)			
	Gastroesophageal reflux (GERD)			
	Splenomegaly			
	Abnormal liver functions (Elevated LFT's / Fatty liver)			
	Hepatomegaly			
	Cirrhosis or hepatic disease (hepatitis/ portal hypertension)			
	Ascites			
	Varices			
	Portal vein thrombosis			
	Budd-Chiari Syndrome	NPO 8hours prior		76705
	Intrahepatic Portosystemic Venous Shunts — TIPS	to exam		
	Hepatomegaly			
	Splenomegaly			

Ultrasound - Pelvis

BODY PART	REASON FOR EXAM	PREP	CPT CODE
Pelvis (Complete includes the Uterus, Ovaries, Bilateral Adnexa)	Pain (pelvic or adnexal tenderness) Ovarian cyst Uterine fibroids Enlarged uterus or ovary (mass) Adnexal abnormalities Dysfunctional uterine bleeding Post menopausal bleeding Precocious puberty Polycystic ovary Disease (PCOD) Ovarian follicle monitoring Ovarian torsion/Pelvic pain Follow up fibroid embolization Ovarian vein embolization Evaluation of pelvic congestion syndrome (PCS)	Pelvis Complete Transvaginal *Please note: An US Pelvis Complete is a Transabdominal exam. Transvaginal Us is needed and both exams MUST be ordered. Fill bladder with 32 oz of water 1 hour prior to exam. Do not void.	76856 AND

Ultrasound - **Scrotum**

BODY PART	REASON FOR EXAM	PREP	CPT CODE
Scrotum	Pain	No Prep	76870
	Trauma		
	Torsion		
	Mass		
	Varicocele		
	Epididymitis		
	Hydrocele (swelling) Undescended testes		

Ultrasound - Retroperitoneal

			СРТ
BODY PART	REASON FOR EXAM	PREP	CODE
Kidney (renal)	Pain (CVA tenderness/flank pain)	Only for bladder:	76770
and Bladder	Obstruction (hydronephrosis)	Fill bladder with 32 oz	
(Organs include:	Hypertension	of water 1 hour prior	
Bilateral Kidneys,	Follow up to other diagnostic imaging test	to exam.	
Bladder Pre & Post Void.	(CT or MRI)	Do not void.	
Male also includes limited	Abnormal lab values (BUN or Creatinine)		
Prostate)	Stones (renal)		
	Chronic renal medical disease (renal function/		
	renal failure)		
	Polycystic kidney disease (PCKD)		
	Urinary tract infection/cystitis/pyelonephritis		
	Renal cancer		
	Trauma		
	Hematuria (microscopic or gross)		
	Neurogenic bladder		
	Urinary retention - Evaluate post void residual (PVR)		
	Bladder diverticula		
Renal Transplant	Post renal transplant	No Prep	76776
-	Urinoma		
	Lymphocele		
	Pain		
	Elevated lab values (creatinine)		
	Poor renal function		
Renal Doppler	Renal artery stenosis	Complet	e 93975
	Renal artery aneurysm	Limite	d 93976
	Renal vein thrombosis		
	Hypertension		
	Abnormal laboratory values	NPO 8 hours prior	
	Elevated creatinine/BUN	to exam	

Ultrasound - Extremities/Musculoskeletal

CPT BODY PART	REASON FOR EXAM	PREP	
Upper or Lower	Pain	Complete	76881
Extremity	Fluid collection (Bakers Cyst) – Limited	Limited	76882
(non Doppler)	Mass – Limited	No Prep	. 5552
()		·	
Upper or Lower	Edema/swelling	Complete Bilateral	93970
Extremity Venous	Calf pain (non medicare) Post	Limited or Unilateral	93971
Doppler	surgical (non medicare) Redness		
	Follow up DVT	No Prep	
	Positive Homan sign (shooting pain with foot		
	dorsiflexion)		
	History long plane/car trip		
Upper or Lower	Claudication/pain with walking	Lower Extremity Bilateral	93925
Extremity Arterial	Decreased or absent pulses	Lower Extremity Unilateral	93926
Duplex	Arthrosclerosis	Upper Extremity Bilateral	93930
	Bruit	Upper Extremity Unilateral	93931
	High risk family history (non medicare)		
	Numbness (non medicare)	No Prep	
	S/P graft or stenting		
	Ulcer on foot or toe (non medicare) Discoloration		
	of feet or legs (non medicare) Thoracic outlet		
	syndrome		
	Decrease arm pressure		
	Cold fingers or toes (poor circulation)		
Venous Reflux	Edema/swelling	No Prep	93965
	Leg ulcer (non medicare) Pain		
	(non medicare) Venous		
	insufficiency Varicose veins		
	Burning or tingling (non medicare)		
	Phlebitis/Thrombophlebitis		



• CRMC Main Line: 620-251-1200

• Radiology Scheduling: 620-252-1523

• CRMC Fax: 620-252-1573


Interventional Readiography (IR)

EXAM	PREP	CPT CODE
Baruim Swallow		74221
BE with Air	Follow prep instructions given by ordering doctor before the exam. Nothing to eat the day of the exam.	74280
Cervical Nerve Block		1 Level 64990 2 Levels 64491 2 Levels 64492
Cystourethrogram - Volding (VCUG)	Patient needs to arrive pre-cathed. Indications forth is Exam: UTI, Hematuria, Incontinence, Urinary Frequency	74455
Epidural Steroid injection Cervical / Thoracic		62321
Epidural Steroid Injection Lumbar		62323
Gastrostomy Tube Placement	NPO 8hrs prior to exam	49440
Greater Occipital Nerve Block		64405
Hysterosalpinogram (HSG) Includes cpt 58340	Must be done between the 7th-10th day following the start of the patient's menstrual cycle. No sexual contact once period has started until after procedure	74450
Medical Branch Block		1 Level 64493 2 Level 64494
Myelogram		Cervical 72240 Thoracic - 72255 Lumbar 0 72265 2 or more areas - 72270
PICCLINE INSERTION TUNNLED		36571
Portacath Insertion		36567
SBFT (Small Bowel Follow Thru)		
SNIFF Test	NPO 8hrs prior to exam	74250
Swallowing Function -	NPO 4hrs to exam. These exams are scheduled in coordination with a speech pathologist.	74230
UGI with Air and KUB	NPO 8hrs prior to exam	74246
UGI with SBFT	NPO 8hrs prior to exam	74246+74248

24| P a g e

Women's Imaging

Breast Ordering Decision Tree



See information on the following page regarding our Breast Health Nurse Navigator and standing orders



• CRMC Main Line: 620-251-1200

• Radiology Scheduling: 620-252-1523

CRMC Fax: 620-252-1573



Dear Physicians, Providers & Staff,

As the Breast Health Nurse Navigator, one of my goals is to improve services between the hospital, physicians and our mutual patients. To do this I am requesting a Diagnostic Protocol to be on record in the Radiology Department. Having this order would not only reduce the time between abnormal mammogram and diagnosis, but the number of phone calls made by staff and received by the patient.

This order will only cover suggested follow up studies such as diagnostic mammograms and/or ultrasound or ultrasound guided breast biopsies. I will be glad to assist in scheduling these to expedite the patient's care. To avoid any confusion, any recommended MRI or surgical procedures will be ordered and scheduled by you, as the provider.

If you wish to have a Diagnostic Protocol in place for your patients, please sign the attached form and fax to 620-252-1611. This order will be good for two years from the date signed and a renewal request form will be sent before expiration date. I look forward to helping you provide great care of our mutual patients. Please feel free to call me if I can be of assistance. Thank you and have a good day!



Christy McCallough RN, MSN
Interventional Radiology
620-252-1179



David Gutschenritter, MD Interventional Radiologist

Christy McCullough, RN, MSN Breast Health Nurse Navigator

Phone: 620-252-1179 Fax: 620-252-1611 christyg@crmcinc.org

DIAGNOSTIC PROTOCOL

(AFTER ABNORMAL MAMMOGRAM)

Physician/Provider:		
Office:		
Phone:		
Fax:		
_		
This is an order for my patient studies.	ts with an abnormal mammogram	to have the recommended follow up
Ultrasou	nd Guided Breast and/or Ly	mph Node Biopsy
	Needed Lab Work: CMC, PT/INR, o	and APTT
Any recommended MRI, or so	urgical procedures will be ordered	d and scheduled by this physician.
This order will expire two yea	rs from the date signed below.	
X	DATE:	TIME:

CPT CODING




CRMC Main Line: 620-251-1200

• Radiology Scheduling: 620-252-1523

CRMC Fax: 620-252-1573

CPT CODING - CT



CPT CODING - MRI

<u>Lower extremity, other than joint</u> (<u>Thigh, lower leg , foot</u>)

70551-w/o contrast 70552-w/contrast 70553-w/o & w/contrast

Cervical

72141-w/o contrast 72142-w/contrast 72156-w/o &w/contrast

70336 **TMJ**

Orbit (Face, Neck)

70540-w/o contrast 70542-w/contrast 70543-w/o & w/contrast

<u>Upper extremity, joint</u> (Shoulder, Elbow, Wrist)

73221-w/o contrast 73222-w/contrast 73223-w/o & w/contrast

Lumbar

72148-w/o contrast 72149-w/contrast 72158-w/o & w/contrast

<u>Lower extremity, joint</u> (Hip, Knee, Ankle)

73721-w/o contrast 73722-w/contrast 73723-w/o & w/contrast

70541-MRAngie Head/Neck
71555-MRA Chest
72159-MRA Spinal Canal
72198-MRA Pelvis
73225-MRA Upper Extremity
73725-MRA Lower Extremity
74185-MRA Abdomen
75660-MRA External Carotid Unilateral
77058-Breast.Unilateral w/ or w/o
contrast
77059-Breast.Bilateral w/or w/o
contrast

Thoracic Spine 72146 – w/o contrast

72147 – w/ contrast 72157 – w/o & w/contrast

Abdomen

74181 – w/o contrast 74182 – w/ contrast 74183 – w/o & w/contrast

Pelvis

72195-w/o contrast 72196-w/contrast 72197-w/o &w/contrast

26/6/6/02

Chest (Clavicle)

71550-w/o contrast 71551-w/contrast 71552-w/o & w/contrast

<u>Upper extremity, other than joint</u> (Hummerus, Forearm, Hand)


73218-w/o contrast 73219-w/contrast 73220-w/o & w/contrast

<u>Lower extremity, other than joint</u> (Thigh, lower leg ,foot)

73718-w/o contrast 73719-w/contrast 73720-w/o & w/contrast 75552-Myocardium 75553-Cardiac w/contrast 75555-Cardiac MRI/limited Study 76390-MR Spectroscopy



CPT CODING - Ultrasound



PRE-MEDICATIONS ALLERGIC REACTIONS



CODE BLUE #: _

Committee on Drugs and Contrast Media 12/19/2017 (Adult algorithm)

Document reaction & monitor for return of reaction post-treatment

HIVES/DIFFUSE ERYTHEMA

- 1. Observation; monitor vitals q 15 min. Preserve IV access
- If associated with hypotension or respiratory distress then considered Anaphylaxis:
 - O2 6-10 L/min by face mask
 - IVF 0.9% NS wide open; elevate legs > 60°
 - Epinephrine 0.3 cc of 1:1000 IM (or autoinjector) OR Epi 1 cc of 1:10,000 IV with slow flush or IV fluids
 - Call 911 or CODE BLUE
- 3. If ONLY skin findings but severe or progressive may consider Benadryl 50 mg PO, IM, IV but may cause or worsen hypotension

EXAMPLE PREMEDICATION REGIMENS

Methylprednisolone 32 mg PO 12, 2 hrs prior +/- Benadryl 50 mg PO 1 hr prior.

OR

Prednisone 50 mg PO 13, 7, 1 hours prior +/- Benadryl 50 mg PO 1 hr prior.

OR

Hydrocortisone 200 mg IV 5 hrs and 1 hr prior and Benadryl 50 mg IV 1 hr prior. (urgent, NPO only, ER, inpatient)

CONTRAST EXTRAVASATION

Elevate arm, cool compress, remove rings. Observe. Consider surgical consultation for decreased perfusion, sensation, strength, active range of motion, or increasing pain.

HYPOTENSION WITH TACHYCARDIA

- 1. Preserve IV access, monitor vitals q 15m
- 2. O2 6-10 L/min by face mask
- 3. Elevate legs > 60 degrees
- 4. IVF 0.9% NS wide open
- 5. Epinephrine 0.3 cc of 1:1000 IM (or autoinjector) OR Epi 1 cc of 1:10,000 IV with slow flush or IV fluids
- Call 911 or CODE BLUE

HYPOTENSION WITH BRADYCARDIA

- 1. Preserve IV access; monitor vitals
- 2. O2 6-10 L/min by face mask
- 3. Elevate legs > 60 degrees
- 4. IVF 0.9% NS wide open
- 5. Atropine 0.6-1.0 mg IV if refractory

LARYNGEAL EDEMA (INSPIRATORY STRIDOR)

- 1. Preserve IV access, monitor vitals
- 2. O2 6-10 L/ min by face mask
- Epinephrine 0.3 cc of 1:1000 IM (or autoinjector) OR Epi 1 cc of 1:10,000 IV with slow flush or IV fluids
- 4. Call 911 or CODE BLUE

BRONCHOSPASM (EXPIRATORY WHEEZES)

- Preserve IV access, monitor vitals
- 2. O2 6-10 L/min by face mask
- 3. B2 agonist inhaler 2 puffs; repeat x 3
- 4. If not responding or severe, then use Epinephrine 0.3 cc of 1:1000 IM (or autoinjector) OR Epi 1 cc of 1:10,000 IV with slow flush or IV fluids
- Call 911 or CODE BLUE

The content of this card is for reference purposes only and is not intended to substitute for the judgment and expertise of the physician or other user. User is responsible for verifying currency and applicability of content to clinical situation and assumes all risk of use.

www.acr.org/contrast

DEXA SCANS

Medicare Coverage

- Medicare will cover one screening DXA every two years for eligible beneficiaries.
- Medicare does NOT cover screening DXA for males.
- Medicare patients cannot self-refer for bone density testing. The treating physician must order all exams.
- Medicare will pay for the test only if the patient meets one of the following five conditions:
 - 1. A woman who has been determined by the physician or a qualified non-physician practitioner who is treating her to be estrogen-deficient and at clinical risk for osteoporosis based on her medical history and other findings.
 - 2. An individual with vertebral abnormalities as demonstrated by an X-ray to be indicative of osteoporosis, osteopenia, or vertebral fracture.
 - 3. An individual receiving (or expecting to receive) glucocorticoid (steroid) therapy equivalent to 5.0 mg of prednisone, or greater, per day, for more than three months.
 - 4. An individual with primary hyperparathyroidism.
 - 5. An individual being monitored to assess the response to, or efficacy of, FDA-approved osteoporosis drug therapy.

High Risk Screening Indications

- Post-menopausal; age related asymptomatic (Z78.0)
- Estrogen deficient; low estrogen; ovarian failure (E28.39)
- Menopausal and female climacteric states (Symptomatic menopausal state) (N95.1)
- Menopausal disorder (N95.9)
- Asymptomatic post procedural ovarian failure (E89.40)
- Symptomatic post procedural ovarian failure (E89.41)
- Symptomatic premature menopause (E28.310)
- Asymptomatic premature menopause (E28.319)
- Disorder of puberty, unspecified (E34.9)
- Loss of height (R29.890) * mostly seen in male patients
- Long term use of steroids (Z79.51 or Z79.52)
- Monitored in response to complete osteoporosis treatment (Z79.899)

Most payers do not reimburse for screening without a high-risk indication.



CRMC Main Line: 620-251-1200

Radiology Scheduling: 620-252-1523

CRMC Fax: 620-252-1573

PAIN MANAGEMENT PROCEDURES

Epidural Steroid Injection

- Cervical
- Thoracic
- Lumbar

Nerve Blocks

- Thoracic
- Lumbar

Paravertebral Injections

- Therapeutic Intraarticular (IA) Facet Joint Injections
- Regional Sympathetic Nerve Block
- Medial Branch Nerve Block

Therapeutic Joint and Bursa Injections:

- Knee, hip, shoulder, trochanteric bursa
- Wrist, elbow, ankle, subacromial bursa, olecranon bursa, pes anserine bursa (generally referred by orthopedic surgeon)

Tendons, Ligaments, and Muscle Injections

- Tendon sheath or Ligament iliolumbar, plantar fascia
- Trigger point injection
- Greater occipital nerve block
- Lesser occipital nerve block
- Suprascapular nerve
- Intercostal nerve

Pain Control

- Superior hypogastric plexus
- Celiac plexus

Radiofrequency Ablation

- Medial Branch Radiofrequency Neurotomy (RFN)
- Radiofrequency Ablation Sacroiliac Joint

Sacroiliac Joint

- Sacroiliac joint steroid injection
- Sacral lateral branch block

Vertebropasty/Kyphoplasty

- Thoracic
- Lumbar

Discogram/Discography

- Thoracic
- Lumbar

ORDERING OF PAIN INJECTIONS & PROCEDURES

The ordering of pain management procedures can be complicated. Many times after the patient is assessed, the procedure may be different than ordered.

In addition to the actual order, please include a recent office note describing patient's signs and symptoms, and any imaging reports from facilities other than CRMC.

Lastly, if the patient is on blood thinners, an order to stop them 5 days prior is needed.

ANY QUESTIONS?

Please call Christy McCullough, RN, MSN, IR & Breast Health Navigator Nurse, 620-252-1179.

FAX: 620-252-1611